


# INDUSTRY FLOWER MIDI

indoor lighting

Double-sided pendant luminaire  
 BODY: powder coated die-cast aluminum and extruded aluminum profile  
 DIFFUSER: transparent or matte hardened glass  
 POWER SUPPLY: integral electronic ballast  
 Ingress protection: IP65, Mechanical impact resistance: IK08  
 OTHER: due to the adjustable optical segments, this luminaire fulfills many different lighting requirements; delivered with a 1.5 m power cable; suspension wire to be ordered separately



## Hardened glass diffuser, matte, ON/OFF version, black, 120° light beam angle

5979905	INDUSTRY FLOWER MIDI 2	LED 4000K	6800 lm	230V AC	63W	4.50
5980905	INDUSTRY FLOWER MIDI 3	LED 4000K	11000 lm	230V AC	93W	6.00
5981905	INDUSTRY FLOWER MIDI 4	LED 4000K	13600 lm	230V AC	125W	7.50

## Hardened glass diffuser, matte, ON/OFF version, gray, 120° light beam angle

5979900	INDUSTRY FLOWER MIDI 2	LED 4000K	6800 lm	230V AC	63W	4.50
5980900	INDUSTRY FLOWER MIDI 3	LED 4000K	10100 lm	230V AC	93W	6.00
5981900	INDUSTRY FLOWER MIDI 4	LED 4000K	13600 lm	230V AC	125W	7.50

## Transparent hardened glass diffuser, ON/OFF version, black, 30° light beam angle

5979005	INDUSTRY FLOWER MIDI 2	LED 5700K	7800 lm	230V AC	65W	4.50
5979105	INDUSTRY FLOWER MIDI 2	LED 4000K	7200 lm	230V AC	65W	4.50
5979205	INDUSTRY FLOWER MIDI 2	LED 4000K	6200 lm	230V AC	65W	4.50
5980005	INDUSTRY FLOWER MIDI 3	LED 5700K	11700 lm	230V AC	100W	6.00
5980105	INDUSTRY FLOWER MIDI 3	LED 4000K	11700 lm	230V AC	100W	6.00
5980205	INDUSTRY FLOWER MIDI 3	LED 4000K	9200 lm	230V AC	100W	6.00
5981005	INDUSTRY FLOWER MIDI 4	LED 5700K	15600 lm	230V AC	130W	7.50
5981105	INDUSTRY FLOWER MIDI 4	LED 4000K	14500 lm	230V AC	130W	7.50
5981205	INDUSTRY FLOWER MIDI 4	LED 4000K	12500 lm	230V AC	130W	7.50

Transparent hardened glass diffuser, ON/OFF version, black, 50° light beam angle

---

5979605	INDUSTRY FLOWER MIDI 2	LED 5700K	7800 lm	230V AC	65W	4.50
5979705	INDUSTRY FLOWER MIDI 2	LED 4000K	7800 lm	230V AC	65W	4.50
5979805	INDUSTRY FLOWER MIDI 2	LED 4000K	6200 lm	230V AC	65W	4.50
5980605	INDUSTRY FLOWER MIDI 3	LED 5700K	11700 lm	230V AC	100W	6.00
5980705	INDUSTRY FLOWER MIDI 3	LED 4000K	10800 lm	230V AC	100W	6.00
5980805	INDUSTRY FLOWER MIDI 3	LED 4000K	9200 lm	230V AC	100W	6.00
5981605	INDUSTRY FLOWER MIDI 4	LED 5700K	15600 lm	230V AC	130W	7.50
5981705	INDUSTRY FLOWER MIDI 4	LED 4000K	14500 lm	230V AC	130W	7.50
5981805	INDUSTRY FLOWER MIDI 4	LED 4000K	12500 lm	230V AC	130W	7.50

Transparent hardened glass diffuser, ON/OFF version, gray, 30° light beam angle

---

5979000	INDUSTRY FLOWER MIDI 2	LED 5700K	7800 lm	230V AC	65W	4.50
5979100	INDUSTRY FLOWER MIDI 2	LED 4000K	7200 lm	230V AC	65W	4.50

5979200	INDUSTRY FLOWER MIDI 2	LED 4000K	6200 lm	230V AC	65W	4.50
5980000	INDUSTRY FLOWER MIDI 3	LED 5700K	11700 lm	230V AC	100W	6.00
5980100	INDUSTRY FLOWER MIDI 3	LED 4000K	10800 lm	230V AC	100W	6.00
5980200	INDUSTRY FLOWER MIDI 3	LED 4000K	9200 lm	230V AC	100W	6.00
5981000	INDUSTRY FLOWER MIDI 4	LED 5700K	15600 lm	230V AC	130W	7.50
5981100	INDUSTRY FLOWER MIDI 4	LED 4000K	14500 lm	230V AC	130W	7.50
5981200	INDUSTRY FLOWER MIDI 4	LED 4000K	12500 lm	230V AC	130W	7.50

Transparent hardened glass diffuser, ON/OFF version, gray, 50° light beam angle

---

5979600	INDUSTRY FLOWER MIDI 2	LED 5700K	7800 lm	230V AC	65W	4.50
5979700	INDUSTRY FLOWER MIDI 2	LED 4000K	7200 lm	230V AC	65W	4.50
5979800	INDUSTRY FLOWER MIDI 2	LED 4000K	6200 lm	230V AC	65W	4.50
5980600	INDUSTRY FLOWER MIDI 3	LED 5700K	11700 lm	230V AC	100W	6.00
5980700	INDUSTRY FLOWER MIDI 3	LED 4000K	10800 lm	230V AC	100W	6.00
5980800	INDUSTRY FLOWER MIDI 3	LED 4000K	9200 lm	230V AC	100W	6.00
5981600	INDUSTRY FLOWER MIDI 4	LED 5700K	15600 lm	230V AC	130W	7.50
5981700	INDUSTRY FLOWER MIDI 4	LED 4000K	14500 lm	230V AC	130W	7.50
5981800	INDUSTRY FLOWER MIDI 4	LED 4000K	12500 lm	230V AC	130W	7.50