


INDUSTRY FLOWER MIDI

indoor lighting

Double-sided pendant luminaire
 BODY: powder coated die-cast aluminum and extruded aluminum profile
 DIFFUSER: transparent or matte hardened glass
 POWER SUPPLY: integral electronic ballast
 Ingress protection: IP65, Mechanical impact resistance: IK08
 OTHER: due to the adjustable optical segments, this luminaire fulfills many different lighting requirements; delivered with a 1.5 m power cable; suspension wire to be ordered separately



Transparent hardened glass diffuser, $-20^{\circ}\text{C} < \text{Ta} < +35^{\circ}\text{C}$, ON/OFF version, black, 120° light distribution

| | | | | | | |
|---------|---------------------------|-----------|----------|---------|------|------|
| 5979905 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 6800 lm | 230V AC | 63W | 4.50 |
| 5980905 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 11000 lm | 230V AC | 93W | 6.00 |
| 5981905 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 13600 lm | 230V AC | 125W | 7.50 |

Transparent hardened glass diffuser, $-20^{\circ}\text{C} < \text{Ta} < +35^{\circ}\text{C}$, ON/OFF version, gray, 120° light distribution

| | | | | | | |
|---------|---------------------------|-----------|----------|---------|------|------|
| 5979900 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 6800 lm | 230V AC | 63W | 4.50 |
| 5980900 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 10100 lm | 230V AC | 93W | 6.00 |
| 5981900 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 13600 lm | 230V AC | 125W | 7.50 |

Transparent hardened glass diffuser, -20°C<Ta<+35°C, ON/OFF version, black, 30° light distribution

| | | | | | | |
|---------|---------------------------|-----------|----------|---------|------|------|
| 5979005 | INDUSTRY FLOWER MIDI 2 | LED 5700K | 7800 lm | 230V AC | 65W | 4.50 |
| 5979105 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 7200 lm | 230V AC | 65W | 4.50 |
| 5979205 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 6200 lm | 230V AC | 65W | 4.50 |
| 5980005 | INDUSTRY FLOWER MIDI 3 | LED 5700K | 11700 lm | 230V AC | 100W | 6.00 |
| 5980105 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 11700 lm | 230V AC | 100W | 6.00 |
| 5980205 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 9200 lm | 230V AC | 100W | 6.00 |
| 5981005 | INDUSTRY FLOWER MIDI 4 | LED 5700K | 15600 lm | 230V AC | 130W | 7.50 |
| 5981105 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 14500 lm | 230V AC | 130W | 7.50 |
| 5981205 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 12500 lm | 230V AC | 130W | 7.50 |

Transparent hardened glass diffuser, -20°C<Ta<+35°C, ON/OFF version, black, 50° light distribution

| | | | | | | |
|---------|---------------------------|-----------|----------|---------|------|------|
| 5979605 | INDUSTRY FLOWER MIDI 2 | LED 5700K | 7800 lm | 230V AC | 65W | 4.50 |
| 5979705 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 7800 lm | 230V AC | 65W | 4.50 |
| 5979805 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 6200 lm | 230V AC | 65W | 4.50 |
| 5980605 | INDUSTRY FLOWER MIDI 3 | LED 5700K | 11700 lm | 230V AC | 100W | 6.00 |
| 5980705 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 10800 lm | 230V AC | 100W | 6.00 |
| 5980805 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 9200 lm | 230V AC | 100W | 6.00 |
| 5981605 | INDUSTRY FLOWER MIDI 4 | LED 5700K | 15600 lm | 230V AC | 130W | 7.50 |
| 5981705 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 14500 lm | 230V AC | 130W | 7.50 |
| 5981805 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 12500 lm | 230V AC | 130W | 7.50 |

Transparent hardened glass diffuser, -20°C<Ta<+35°C, ON/OFF version, gray, 30° light distribution

| | | | | | | |
|---------|---------------------------|-----------|----------|---------|------|------|
| 5979000 | INDUSTRY FLOWER MIDI 2 | LED 5700K | 7800 lm | 230V AC | 65W | 4.50 |
| 5979100 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 7200 lm | 230V AC | 65W | 4.50 |
| 5979200 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 6200 lm | 230V AC | 65W | 4.50 |
| 5980000 | INDUSTRY FLOWER MIDI 3 | LED 5700K | 11700 lm | 230V AC | 100W | 6.00 |
| 5980100 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 10800 lm | 230V AC | 100W | 6.00 |
| 5980200 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 9200 lm | 230V AC | 100W | 6.00 |
| 5981000 | INDUSTRY FLOWER MIDI 4 | LED 5700K | 15600 lm | 230V AC | 130W | 7.50 |
| 5981100 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 14500 lm | 230V AC | 130W | 7.50 |
| 5981200 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 12500 lm | 230V AC | 130W | 7.50 |

Transparent hardened glass diffuser, $-20^{\circ}\text{C} < T_a < +35^{\circ}\text{C}$, ON/OFF version, gray, 50° light distribution

| | | | | | | |
|---------|---------------------------|-----------|----------|---------|------|------|
| 5979600 | INDUSTRY FLOWER MIDI 2 | LED 5700K | 7800 lm | 230V AC | 65W | 4.50 |
| 5979700 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 7200 lm | 230V AC | 65W | 4.50 |
| 5979800 | INDUSTRY FLOWER MIDI 2 | LED 4000K | 6200 lm | 230V AC | 65W | 4.50 |
| 5980600 | INDUSTRY FLOWER MIDI 3 | LED 5700K | 11700 lm | 230V AC | 100W | 6.00 |
| 5980700 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 10800 lm | 230V AC | 100W | 6.00 |
| 5980800 | INDUSTRY FLOWER MIDI 3 | LED 4000K | 9200 lm | 230V AC | 100W | 6.00 |
| 5981600 | INDUSTRY FLOWER MIDI 4 | LED 5700K | 15600 lm | 230V AC | 130W | 7.50 |
| 5981700 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 14500 lm | 230V AC | 130W | 7.50 |
| 5981800 | INDUSTRY FLOWER MIDI 4 | LED 4000K | 12500 lm | 230V AC | 130W | 7.50 |